

Alif, Your Healthcare Technology Experts. Navigate Your Healthcare with Our Innovative Solutions with Uncompromised Quality and Convenience.



POLYMESH POLYPROPYLENE

Polypropylene mesh for the repair of abdominal wall fascial defects

		_			2000	
	SIZE			ODUCT DDE		UNITS PER BOX
		ULTRALIGHT 28G/M2	LIGHT 50G/M2	STANDARD 85G/M2	BLUE 50G/M2	
	6x17cm	PMUL611	PM611	MS611	PMB611	5 PER BOX
	7,5x15cm	PMUL7515	PM7515	PMS7515	PMB7515	5 PER BOX
	10x15cm	PMUL1015	PM1015	PMS1015	PMB1015	5 PER BOX
	15x15cm	PMUL1515	PMUL1515	PMUL1515	PMUL1515	5 PER BOX
	30x30cm	PMUL3030	PMUL3030	PMUL3030	PMUL3030	5 PER BOX
•	4,5x10cm	PMUL4510	PM4510	PMS4510	PMB4510	5 PER BOX
	5x11cm	PMUL511	PM511	PMS511	PMB511	5 PER BOX
	5x12cm	PMUL512	PM512	PMS512	PMB512	5 PER BOX
	6x13cm	PMUL613	PM613	PMS613	PMB613	5 PER BOX
h	4,5x10cm	PMULE4510	PME4510	PMSE4510	PMBE4510	5 PER BOX
	5x11cm	PMULE511	PME511	PMSE511	PMBE511	5 PER BOX
	5x12cm	PMULE512	PME512	PMSE512	PMBE512	5 PER BOX
	6x13cm	PMULE613	PME613	PMSE613	PMBE613	5 PER BOX
•	Diameter 5em	PMUL05	PM05	PMS05	PMB05	5 PER BOX
	Diameter 7cm	PMUL07	PM07	PMS07	PMB07	5 PER BOX
•	Diameter 5em	PMULE5	PME5	PMSE5	PMBE5	5 PER BOX
	Diameter 7cm	PMULE7	PME7	PMSE7	PMBE7	5 PER BOX
•	Diameter 5em	PMULOE5	PMOE5	PMSOE5	PMBOE5	5 PER BOX
	Diameter 7cm	PMULOE7	PMOE7	PMSOE7	PMBOE7	5 PER BOX


POLYMESH 3D

.liminates need for fixation, which saves time and cost Reduced pain for the patients who received Polymesh 3D compared .with received flat mesh


PRODUCT CODE	SIZE/MODEL	UNITS PER BOX
PM3DM-L PM3DL-L	3D medium left	1 PER BOX
PM3DXL-L	3D Large Left 3D X-Large Left	1 PER BOX
PM3DM-R PM3DL-R	3D Medium Right 3D Large Right	1 PER BOX 1 PER BOX
PM3DXL-R PML3DM-L	3D X-Large Right 3D Light Medium Left	1 PER BOX 1 PER BOX
PML3DL-L PML3DXL-L	3D Light Large Left 3D Light X-Large Left	1 PER BOX 1 PER BOX
PML3DM-R PML3DL-R	3D Light Medium Right 3D Light Large Right	1 PER BOX 1 PER BOX
PML3DXL-R	3D Light X-Large Right	1 PER BOX















POLYMESH COMPOSITE

Designed for patient comfort, comfortable healing. Absorbable in 90-120 days. Low-weight polypropylene PGA-PCL mesh with pore size of 2 to 4 mm provides less foreign body reaction and low postoperative adhesion.

PRODUCT CODE	SIZE/ MODEL	UNITS PER BOX
SCM0611	6x11cm	1 PER BOX
SCM0614	6x14cm	1 PER BOX
SCM7515	7,5x15cm	1 PER BOX
SCM1012	10x12cm	1 PER BOX
SCM1015	10x15cm	1 PER BOX
SCM1515	15x15cm	1 PER BOX
SCM1520	15x20cm	1 PER BOX
SCM2020	20x20cm	1 PER BOX
SCM2030	20x30cm	1 PER BOX
SCM3030	30x30cm	1 PER BOX





Before Partial Absorption



During Partial Absorption

POLYMESH DUAL

Constructed of double sides with different properties for implantation in intraperitoneal site. Visceral side is made of non-adherent silicone which prevents adhesion formation and creates a pseudo-peritoneum. Parietal side is made of nonwoven polypropylene for an easier tissue fixation and colonization.



PRODUCT CODE	SIZE/ MODEL	UNITS PER BOX
SDM1022 SDM1015 SDMR12 SDMR15 SDMR18 SDM1515 SDM1520 SDM1530 SDM1525 SDM2020 SDM2030 SDM2030 SDM2535 SDM2634	10x15/22cm (barrel shape) 10x15cm Diameter 12 cm Diameter 15 cm Diameter 18 cm 15x15cm 15x20cm 15x30cm 15x25cm 20x20cm 20x30cm 25x35cm 26x34cm	1 PER BOX
SDM3030	30x30cm	


POLYMESH INOVA


Designed for open and laparoscopic hernia repair when a tissue separating layer is needed. POLYMESH INOVA combines Betatech's Polymesh Polypropylene with a tissue separating film layer of PGA- PCL absorbed within 90-120 days

PRODUCT	SIZE/	UNITS
CODE	MODEL	PER BOX
ISCM1022 ISCM1015 ISCMR12 ISCMR15 ISCMR18 ISCM1515 ISCM1520 ISCM2030 ISCM2030 ISCM2634 ISCM3030 ISCM2535 ISCM2535	10x15/22cm (barrel shape) 10x15cm Diameter 12 cm Diameter 15 cm Diameter 18 cm 15x15cm 15x20cm 20x30cm 26x34cm 30x30cm 25x35 cm 20x25 cm	1 PER BOX













Oxicel

ABSORBABLE
HEMOSTATS
OXIDIZED
REGENERATED
CELLULOSE
STANDARD
FIBRIL
KNIT
NONWOVEN



ABSORBABLE HEMOSTAT OXIDIZED REGENERATED CELLULOSE

ORDERING INFORMATION

	CODE	DESCRIPTION
\Box		
Ā	OXS11	Oxicel Standard 1.25 cm x 5 cm
	OXS12	Oxicel Standard 1.3 x 5.1 cm
A	OXS13	Oxicel Standard 1.5 x 5 cm
XICEL STANDARI	OXS14	Oxicel Standard 2.5 x 2.5 cm
\Box	OXS15	Oxicel Standard 2.5 cm x 5 cm
\times	OXS16	Oxicel Standard 5 cm x 35 cm
Ŭ	OXS17	Oxicel Standard 5.1 cm x 7.6 cm
	OXS18	Oxicel Standard 5.1 cm x 35.6 cm
	OXS19	Oxicel Standard 7.5 cm x 10 cm
	OXS20	Oxicel Standard 10 cm x 20 cm
	OXS21	Oxicel Standard 10.2 cm x 20.3 cm
	OXS22	Oxicel Standard 15 cm x 23 cm
	OXS23	Oxicel Standard 12.5 cm x 5 cm
	OXS24	Oxicel Standard 5 cm x 10 cm
	OXS25	Oxicel Standard 5 cm x 7,5 cm
	OXS26	Oxicel Standard 5 cm x 5 cm

Z L N	CODE	DESCRIPTION
OMNON	OXNII	xicel NonWoven 2,5x5,1 cm
O Z	OXN12 OXN13	Oxicel NonWoven 5,1x10,2 cm Oxicel NonWoven 10,2x10,2 cm


	CODE	DESCRIPTION
FIBRI	OXFII	Oxicel Fibril 2.6 cm x 2.6 cm
Щ	OXF12	Oxicel Fibril 7.6 cm x 10.2 cm
L L	OXF13	Oxicel Fibril 15.2 cm x 22.9 cm
X	OXF14	Oxicel Fibril 2.5 cm x 5.1 cm
O	OXF15	Oxicel Fibril 5.1 cm x 10.2 cm
	OXF16	Oxicel Fibril 10.2 cm x 10.2 cm
	OXF17	Oxicel Fibril 5 cm x 7.5 cm
	OXF18	Oxicel Fibril 2.6 cm x 5.1 cm
	OXF19	Oxicel Fibril 5.1 cm x 5 cm

	CODE	DESCRIPTION
X	OXKII	Oxicel Knit 2.6 cm x 2.6 cm
X	OXK12	Oxicel Knit 7.6 cm x 10.2 cm
XICE	OXK13	Oxicel Knit 15.2 cm x 22.9 cm
Ŏ	OXK14	Oxicel Knit 2.5 cm x 5.1 cm
	ОХК15	Oxicel Knit 5.1 cm x 10.2 cm
	ОХК16	Oxicel Knit 10.2 cm x 10.2 cm
	ОХК17	Oxicel Knit 5 cm x 7.5 cm





OPEN SURGERY & LAPAROSCOPIC APPLICATORS



	CODE	OXICEL POWDER	APPLICATOR	UNITS PER BOX
DERING INFORMATION	OXP01 OXP02 OXP03 OXP04 OXP05 OXP01-EA14 OXP02-EA14 OXP03-EA14 OXP04-EA14 OXP05-EA14 OXP05-EA18 OXP01-EA38 OXP02-EA38	lgr 2gr 3gr 4gr 5gr lgr 2gr 3gr 4gr 2gr 3gr 4gr 2gr 3gr 4gr	- - - 14 cm 14 cm 14 cm 14 cm 14 cm 38 cm 38 cm	PER BOX 5 PER BOX 1 SET/BOX 1 SET/BOX
ORD	OXP03-EA38 OXP04-EA38 OXP05-EA38 EA14 EA38	3gr 4gr 5gr - -	38 cm 38 cm 38 cm 14 cm 38 cm	1 SET/BOX 1 SET/BOX 1 SET/BOX 5 PER BOX 5 PER BO



BETAMIX ADHESIONBARRIERGE

- -HYALURONIC ACID
- -PREVENTS ADHESION
- -FULLY ABSORBABLE

CODE	VOLUME
ABG01	1 ml
ABG105	1,5 ml
ABG02	2ml
ABG03	3ml
ABG04	4ml
ABG05	5ml
ABG705	7,5 ml
ABG10	10 ml
ABG15	15 ml
ABG20	20 ml





ULTRASONIC SCALPEL SYSTEM

- 01. Compatible with international mainstream ultrasonic scalpel systems.
- 02. Minimize adhesions, eschar and smoke
- 03. Integrate separation, cutting and coagulation to save operation time



Suitable for cutting and hemostasis in open and laparoscopic surgery in general surgery, thoracic surgery, gynecology, urology, pediatrics, etc.



GENARAL SURGERY

Cholecystectomy Appendectomy Gastric bypass Colectomy Hernia resection Adrenalectomy Splenectomy



UROLOGY/GYNECOLOGY

Thyroidectomy
Cystectomy
Nephrectomy
Hysterectomy
Myomectomy
Accessory resection
Adhesive release

MAIN COMPONENTS

NAME	MODEL	COMPONENT	MODEL	REMARK
ULTRASONIC SCALPEL SYSTEM	RXCD300	GENERATOR HAND PIECE TRANSDUCER FOOT SWITCH HAND PIECE SCALPEL	RXCD- 300 HPT55.55 FSW01 HPS36P HPS23P HPS14P HPS9B	DRIVING FREQUENCY: 55.5KHZ CONNECTION GUN TYPE OF HAND PIECE SCALPEL ANTI-INFUSION IPX8 5MM\ FOR LAPAROSCOPIC SURGERY 5MM\ FOR OPEN SURGERY 5MM\ FOR SUPERFICIAL SURGERY FOR SUPERFICIAL SURGERY

Hangzhou Rex Medical Instrument Co.,Ltd. Address: Room206,Building6,No.688 Bin an Road, Changhe et,Binjiang District, Hangzhou City

Telephone: 87799607-0571
Mail: hzrexmed@hzrexmed.com
Website: www.hzrexmed.com.

ULTRASONIC SCALPEL SYSTEM Generator • Transducer • Scalpel • Foot Switch

Ultrasonic Scalpel System

Generator. Foot Switch

System's Generator drive transducer handle to the device to a frequency of 55.5KHz, 100-60 microns of longitudinal vibration amplitude, the ultrasonic vibration can under the pressure of the rightto have good cutting ability, at the same time this kind of vibration with blood and tissue protein coagulation closed small blood vessels, cutting/stop the bleeding.






Ultrasonic Scalpel System

Hand piece transducer

- There is no using time limit of the hand piece transducer;
- Piezoelectrie ceramic sheets are made of imported materials and are precision assembled to provide stable and effective performance:
- Exclusive high-end signal cable, multi-layer shield and insulation for excellent MC performance;
- The outer casing is made of aerospace alloy aluminum, which has high strength and excellent wear resistance and corrosion resistance;



DISPOSABLE LAPAROSCOPIC TROCAR

SPECIFICATIONS

F010105110 F010210110 F010312110 F010403070S F010505110S F010610110S F010712110S F010815110S Φ 5mm Bladed trocar Φ 10mm Bladed trocar Φ 12mm Bladed trocar Φ 3mm Optical trocar Φ 10mm Optical trocar Φ 12mm Optical trocar Φ 15mm Optical trocar

PRODUCT FEATURES

- Single use only, avoid cross inflection
- Unique design, small trauma, quick recovery
- Thread design, perfect maintain of the veress









DISPOSABLE BIOPSY NEEDLE



SPECIFICATIONS

F401212150 F400712200 F400812250 φ150×1.2mm φ200×1.2mm φ250×1.2mm

- Smooth Surface: Less friction, frictionless insertion reduce vessel trauma and pain.
- Needle Tip: Better sharpness in the tip.
- Better Metal Surface: Flaw less surface of cannula.
- Thin Wall: Better inner diameter helps to get better inner diameter of cannula provides more space.

DISPOSABLE ELECTRODE SURGICAL INSTRUMENT



F000105350 F000405350 F000305350 F001105350 F001305350 F001205350 F002505350 F002605350 F002705350 F003105350 F003205350 F002105350 F004005350 F005005350 F003605350 F004505350

Scissor Curved Scissor Full Insulated Scissor Full Insulated Mini Blade Dissector Maryland Dissector Mixter Dissector Straight Grasper Fenestrated 17mm Double Action Grasper Fenestrated 22mm Double Actionr Grasper Fenestrated 35mm Double Action Grasper Fenestrated 22mm Single Actio Grasper Fenestrated 35mm Single Action **Grasper Clinch** Grasper Blunt Jaw Grasper Babcock Grasper Allis **Grasper Rat-Teeth**



DISPOSABLE RETRIEVAL DEVICE

SPECIFICATIONS

F020110250 F020210350 F0203101000 250ml×Φ10 350ml×Φ10 800ml×Φ10

- The bag body of high strength with good biocompatibility is TPU material, Transparent soft bag body
- There are a variety of specifications bag body to choose from
- Meet the demand of different operation
- When the fetch, the automatic tightening of mouth, to prevent overflow
- The operation is simple, The efficiency of safety
- Can prevent cancer to grow and tissue fluid permeability caused by inflammation,
- Reduce the risk of tissue damage



DISPOSABLE RETRIEVAL DEVICE

SPECIFICATIONS

F020910250 F021010350 F0211101000 F0217121500 250ml×Φ10 350ml×Φ10 1000m×Φ10 1500mll×Φ12

PRODUCT FEATURES

- The bag body of high strength with good biocompatibility is TPU material, Transparent soft bag body
- There are a variety of specifications bag body to choose from
- Meet the demand of different operation
- When the fetch, the automatic tightening of mouth, to prevent overflow
- The operation is simple, The efficiency of safety
- Can prevent cancer to grow and tissue fluid permeability caused by inflammation,
- Reduce the risk of tissue damage





DISPOSABLE RETRIEVAL DEVICE

SPECIFICATIONS

F021310200N F021410350N 200ml×Φ10 350ml×Φ10

- The bag body of high strength with good biocompatibility is Nylon material
- There are a variety of specifications bagbody to choose from
- Meet the demand of different operation
- When the fetch, the automatic tightening of mouth, to prevent overflow
- The operation is simple, The efficiency of safety
- Can prevent cancer to grow and tissue fluid permeability caused by inflammation,
- Reduce the risk of tissue damage





DISPOSABLE SUCTION & IRRIGATION UNIT

SPECIFICATIONS

F040105360 F040205430

360mm×Φ5 430mm×Φ5



PRODUCT FEATURES

- Ergonomically designed hand piece can be easily operated by either hand
- Unblocked channel, good flowing performance
- Stainless steel probe with position function, easy to fix and draw out
- Flip designed rear port for easy access inside chamber, can be operated by one hand, quick close an reduce air leakage
- Transparent headpiece, unobstructed visualization
- Resistant structure and reliable quality
- Clear channel, consistent diameter with self-flush function
- Smoke evacuation and filtration, smoke flow rate is adjustable

DISPOSABLE SUCTION & IRRIGATION UNIT

SPECIFICATIONS

F040305360 F040405430 360mm×Φ5 430mm×Φ5



- Ergonomically designed hand piece can be easily operated by either hand
- Unblocked channel, good flowing performance
- Stainless steel probe with position function, easy to fix and draw out
- Flip designed rear port for easy access inside chamber, can be operated by one hand, quick close an reduce air leakage
- Resistant structure and reliable quality
- Smoke evacuation and filtration, smoke flow rate is adjustable

DISPOSABLE VERESS INSUFFLATION NEEDLE

SPECIFICATIONS

F030121120 F030221150 120mm×Φ2.1 150mm×Φ2.1

PRODUCT FEATURES

- Stainless steel needle with strong polycarbonate handle
- Double warning system confirms proper insertion
- Ergonomic handle for easy controlled insertion



DISPOSABLE SURGICAL ELECTRODE

SPECIFICATIONS

F009405330 | 330mm \times ϕ 5 | Suction Irrigation L-Hook F009505330 | 330mm \times ϕ 5 | Suction Irrigation Spatula

PRODUCT FEATURES

- Provide the precise, controlled coagulation and transection of vessels and tissue
- Fully insulated, 33cm shaft provides safe current containment
- Effective monopolar electrosurgical activation
- Good flowing performance
- Available with Spatula, L Hook



DISPOSABLE L-HOOK

SPECIFICATIONS

F009105330 | 330mm×φ5

- Provide the precise, controlled coagulation and transection of vessels and tissue
- Fully insulated, 33cm shaft provides safe current containment
- Effective monopolar electrosurgical activation
- Available with Spatula, L Hook



CONTACT US:

ADDRESS:

SUITE# 507, B-01, BAY SQUARE BUSINESS BAY, DUBAI - UAE

PHONE NUMBER:

+971 4 570 5999

MOBILE NUMBER:

+971 5860477114

WEBSITE:

WWW.ALIFGCC.COM

EMAIL:

INFO@ALIF.COM